

djay Template Quickstart Guide

December 2013

Our djay template consists of a MIDI mapping preset for Algoriddim's djay software. The MIDI mapping preset works in conjunction with Presets 1 and 2 of the QuNeo Factory Presets. The preset is designed to be easy to learn and use for beginner DJs.

To use the QuNeo controller mapping for djay you must have djay installed on your computer. Go to <http://www.algoriddim.com/> to purchase or learn more about djay.

To install the Template (Mac only):

Open the "Installation Files" folder and find the "QUNEO.djayMidiMapping" file. Follow these steps to manually place the file:

1. Locate the icon to launch the djay application. This must be the original .app file, not an alias.
2. Right-click or (control-click) on the icon and go to "Show Package Contents".
3. Go into the "Contents/Resources/MIDI Mapping" folder.
4. Copy the "QUNEO.djayMidiMapping" file from the "Installation Files" folder and paste it into the "MIDI Mapping" folder.


To use the Template:

1. Plug in your QuNeo and then launch djay.
2. Now select Factory Preset 1 or 2 on your QuNeo and start playing.

How the Template works:


Below is an image showing how djay is mapped to each control on the QuNeo in Factory Preset #1:

Preset 1



Below is an image showing how djay is mapped to each control on the QuNeo in Factory Preset #2:


Preset 2



MIDI Output diagram for QuNeo preset 1 & 2:

Presets 1 and 2 are the same except the pad notes increment up as the preset # increases. So the pad notes on preset 1 are shown below from C1-D#2. Preset 2 notes are from E2-G3.

These presets are in Drum Mode and don't use banks. Rotaries are set to use Location instead of Direction. Pass Thru Widths for the rotaries are set to 127. The Pad X/Y Return values are set to 63. Velocity is variable and pressure is continuous on the Pads; velocity is fixed at 127 for notes on other sensors.



TROUBLESHOOTING:

If the MIDI mapping isn't working how you might expect...

1. Check to make sure you are using the correct QuNeo preset (1 or 2).
2. Make sure the QuNeo is connected and showing up as a MIDI device.
3. In djay go to the MIDI menu. There should be a "Configure QUNEO..." option. Click this and a "QUNEO" window will open. If there is nothing in the list, quit djay and follow the directions below to install the MIDI Mapping File: